WHAT IS CLAIMED

CLAIMS 1-22 (Canceled)

CLAIM 23 (NEW) A method of making dirt or solids vacuum able by blasting said dirt or solid with a liquid bullet and said liquid bullet is propelled by a volume of pressurized gas, comprising the steps of : providing a vacuum conduit having a first end of said vacuum conduit positioned in communication with said dirt or solid to be vacuumed and said second end of said vacuum conduit being connected to a vacuum producing means, and said dirt or solid which is in communication with said first end of said vacuum conduit being blasted by said liquid bullet being created and blasted by first filling a container with a gas, and second filling said container with a liquid under pressure thus further compressing said gas to a pressure equal to that of said liquid, and said container having one or more orifices & one or more valves to fill or contain said gas or liquid in said container and said container having a dispensing orifice and dispensing valve, and third said dispensing orifice is positioned downward in communication with said dirt or solid and fourth abruptly opening said dispensing orifice thus said gas under pressure propels said liquid through

said dispensing orifice & dispensing valve thus said liquid bullet impacts said dirt or solid making said dirt or solid more vacuum able.

CLAIM 24 (NEW) A method as described in claim 23 further comprising the step of: providing a diaphragm within said container between said gas and said liquid.

CLAIM 25 (NEW) A method of making dirt or solids vacuum able by blasting said dirt or solid with a liquid bullet and said liquid bullet is propelled by a volume of pressurized gas and comprising the steps of : providing a vacuum conduit having a first end of said vacuum conduit positioned in communication with said dirt or solid to be vacuumed and said second end of said vacuum conduit being connected to a vacuum producing means, and said dirt or solid which is in communication with said first end of said vacuum conduit being blasted by a liquid bullet being created and blasted by first filling a first compartment, of a container having two compartments separated by a diaphragm, with a gas, and second filling said second compartment of said container with a liquid under pressure thus further compressing said gas to a pressure equal to that of said liquid, and

said container having one or more orifices & one or more valves to fill or contain said gas or liquid in said container and said container having a dispensing orifice and dispensing valve, and third said dispensing orifice is positioned in communication with said dirt or solid and fourth abruptly opening said dispensing orifice thus said gas under pressure propels said liquid through said dispensing orifice & dispensing valve thus said liquid impacts said dirt or solid making said dirt or solid more vacuum able.

CLAIM 26 (NEW) A method as described in claim 23 further comprising the step of: positioning a dispensing conduit in communication with said dispensing valve.

CLAIM 27 (NEW) A method as described in claim 25 further comprising the step of: positioning a dispensing conduit in communication with said dispensing valve.

CLAIM 28 (NEW) A method as described in claim 23 further comprising the step of: providing a process controller to sequence the opening or closing of said valves.

CLAIM 29 (NEW) A method as described in claim 25 further comprising the step of: providing a process controller to sequence the opening or closing of said valves.

CLAIM 30 (NEW) A method as described in claim 23 further comprising the step of: said container having one or more dispensing orifices.

CLAIM 31 (NEW) A method as described in claim 25 further comprising the step of: said liquid compartment of said container having one or more dispensing orifices.

CLAIM 32 (NEW) A method as described in claim 23 or 25 further comprising the step of: positioning a dispensing conduit in communication with said dispensing valve, and said dispensing conduit having one or more dispensing orifices.

CLAIM 33 (NEW) A method as described in claim 23 or 25 further comprising the step of: positioning the first end of a dispensing conduit in

communication with said dispensing valve and the second end of said dispensing conduit in communication with said dirt or solid.

In the Drawings:

Please amend drawing as shown below in order to overcome objections raised by the Examiner. A "replacement Sheet" is attached. No new matter has been added.

Per Ms. Ford the amended replacement drawings filed on 27 Dec. 2006 have been scanned and are not resubmitted with this filing.